



WLT-150s

ONLINE LOTTERY TERMINAL

A versatile terminal for various applications, incorporating all the latest technologies to provide the best quality and the highest reliability. This low maintenance terminal can be configured with numerous options enabling game operators to adapt their terminal configurations as their requirements change overtime.



Compact and Versatile Online Lottery Terminal
Ideal for retailers with mid-volume transactions

Compact & Powerful



WLT-150s has a simple and compact design suitable for any commercial location. It is also made of industrial components to offer long life expectancy and durability. The display with adjustable view angle ensures operating convenience. Various I/O ports make the model compatible with numerous devices. Optional MSR and IC Card readers are also available.

WLT-150s can be delivered with a variety of peripherals including printers; customer displays; play slip readers; Gun type bar code scanners; Finger Print reader; player advertisement displays and TV screens.

Hardware Specification

Main Unit

CPU :	Intel Processor (I3,Atom etc.)	MSR :	Standard USB Interface protocol(option)
RAM :	4 GB DDR Memory up to 8GB	IC Card Reader :	PC/SC type (option)
HDD :	2.5" 160 GB (S-ATA) or SSD	Modem :	GPRS modem (option)
Monitor :	10.1"(inch) TFT-LCD or 8" (Option)	Barcode Reader :	Gun type barcode reader(option)
Monitor Resolution :	1024x600	Finger Print Reader & NFC	(option)
Touch Screen :	4-wire resistive or Multi Capacitive touch	I/O ports :	1 x PS/2 K/B, 1 x PS/2 Mouse, 1 x VGA, Gigabit LAN, 6 x USB 2.0 ports, 2 x serial1

Scanner

Scanning Element :	Dual row illumination CIS	Scanning Speed :	Max.350 mm/s
Scanning Resolution :	200 DPI(options: 300 dpi or color)	Paper Thickness :	0.1mm ~ 0.2 mm
Scanning Size :	A6 - 104mm(w) X 290mm(h)	MTBF:	50,000 hours (CIS only)
Interface:	USB 2.0 Standard protocol	Optional TPH :	1" thermal brander (Option)

* Free OMR software SDK

Printer (stand alone)

Printer Type :	Direct Thermal Printing	Slip :	Thermal roll paper
Speed :	Up to 200mm/s	Slip width :	82.5mm ±0.5mm (3.25 inch)
Resolution :	200 DPI	Slip Diameter :	80 mm (Option: 100mm)
Image Support :	1bit bitmap	Cutter :	Full-cut and Partial- cut support

Contact : Witek System Inc. (South Korea) 3FL.Bum-A Bldg. 7-12 Gangnam-daero 27 Gil Seocho-gu Seoul. South Korea
Tel : +82 2 2057 5960